

TOC for all the pages in the "HPC" namespace

HPC start

- [HPC User Documentation](#)
- [HPC clusters at UNIGE](#)
 - [Use the HPC resources](#)
- [RoadMap](#)
 - [Other resources](#)
- [Support - get help](#)

Baobab and Yggdrasil - our HPC clusters and their infrastructure

- [How our clusters work](#)
- [The clusters : Baobab, Yggdrasil and Bamboo](#)
- [How do our clusters work ?](#)
 - [Overview](#)
 - [Cost model](#)
 - [Price per hour](#)
 - [Free CPU Hour Allocation](#)
 - [Progressive Pricing for HPC Compute Hours](#)
 - [Purchasing or Renting Private Compute Nodes](#)
 - [Key Rules and Details](#)
 - [Cost of Renting a Compute Node](#)
 - [Usage Limits](#)
 - [CPU and GPU server example pricing](#)
 - [AMD CPU](#)
 - [GPU H100 with AMD](#)
 - [GPU RTX4090 with AMD](#)
- [Use Baobab for teaching](#)
- [How do I use your clusters ?](#)
- [For advanced users](#)
 - [Infrastructure schema](#)
 - [Compute nodes](#)
 - [CPUs models available](#)
 - [GPUs models available](#)
 - [Bamboo](#)
 - [CPU MODELS — bamboo](#)
 - [GPUs on Bamboo](#)
 - [Baobab](#)
 - [CPU MODELS — baobab](#)
 - [CPU MODELS — baobab](#)
 - [GPUs on Baobab](#)
 - [Yggdrasil](#)
 - [CPU MODELS — yggdrasil](#)
 - [GPUs on Yggdrasil](#)
 - [Monitoring performance](#)

How to use the HPC clusters

- [hpc:how_to_use_the_hpc_clusters#](#)

Access : SSH, X2GO

- [Access the clusters](#)

- Account
 - Standard Account
 - External Account
 - Outsider Account
- Inactivity Notice and Account Deletion Policy
- Cluster connection
 - login nodes
 - Connect using SSH
 - ssh PublicKey
 - multiple ssh key
 - From Linux and Mac OS
 - From Windows
 - Access to the compute nodes
- GUI access / Desktop with X2Go
- File transfer
 - From Linux
 - From Windows
- SSH tunnel and socks proxy
- Alternative to using ProxyJump

Best practices and smart use of the HPC resources

- Introduction
- First steps
- Rules and etiquette
- Think green
- Stop wasting resources!
 - Which resources ?
 - Single thread vs multi thread vs distributed jobs
 - Bad CPU usage
 - Bad memory usage
 - Bad time estimation
 - Conclusion
- How to write a good Slurm sbatch script
- Transfer data from one cluster to another
 - Rsync
- SWITCHfilesender from the cluster
 - Configuring the CLI tools
 - Transferring files
- HPC cluster user departure procedure

FAQ

- FAQ: Frequently Asked Question
 - General
 - Cost
 - Account
 - Connection to Cluster
 - X2GO-Desktop
 - Storage
 - Applications
 - Slurm: job scheduler
 - Issues
 - Switch edu-ID Login Issues
 - HPC community forum

Slurm and job management

[Slurm and job management](#)

[What is Slurm ?](#)

[Resources](#)

[Partitions](#)

[What is a partition ?](#)

[Which partition for my job ?](#)

[Partitions lists](#)

[Clusters partitions](#)

[Private partitions](#)

[Wall time](#)

[Memory](#)

[GPU](#)

[CPU](#)

[CPU types](#)

[Single thread vs multi thread vs distributed jobs](#)

[Submitting jobs](#)

[Batch mode \(sbatch\)](#)

[Monothreaded jobs](#)

[Multithreaded jobs](#)

[Distributed jobs](#)

[GPGPU jobs](#)

[Interactive jobs](#)

[Job array](#)

[Advanced usage](#)

[Job dependency](#)

[Master/Slave](#)

[Checkpoint](#)

[Reservation](#)

[Job monitoring](#)

[Email notification of job events](#)

[Memory and CPU usage](#)

[Energy usage](#)

[CPUs](#)

[GPUs](#)

[Other tools](#)

[spart](#)

[pestat](#)

[seff](#)

[HDF5 profiling plugin](#)

[Cancel jobs](#)

[Job priorities](#)

[How is the priority of a job determined ?](#)

[Priority vs. waiting time](#)

[Backfill mechanism](#)

Storage

[Storage](#)

[Cluster storage](#)

[Home directory](#)

[Quota](#)

[Scratch Directory](#)

[Quota](#)

[Data Retention Policy](#)

[Fast directory](#)

- Quota
- Local storage
 - Scratch directory (local on each node)
 - Temporary private space
 - Temporary shared space
- Sharing files with other users
- Best practices
 - I/O performance
 - Check disk usage on the clusters
 - Check disk usage on home and scratch
 - Check disk usage on NASAC
 - File transfer (between nodes)
- Backup
- Archive
- Access external storage
 - NASAC
 - Troubleshooting
 - Where does gio mounts my data?
 - List the user DBUS process
 - Sometimes mount is not available but you can browse/copy/interract with gio commands
 - CVMFS
 - EOS
- Robinhood
 - Policies
 - Report

Applications and libraries

- Applications on the clusters
 - Module - lmod
 - How to use 'module'
 - What do I do when an application is not available via 'module' ?
 - Detailed example of using 'module'
 - Loading 'R'
 - Choosing the compiler toolchain
 - FOSS toolchain
 - Intel toolchain
 - Intel compiler licenses
 - fosscuda toolchain
- Examples for selected applications
 - OpenMPI
 - Specify MCA parameters through "srun"
 - Conda
 - How to Create a Conda Environment in a Container
 - Benefits
 - Limitations
 - Step 1 - Define the Conda Environment
 - Step 2 - Build the Container
 - Step 3 - Use the Container
 - Conda environment management
 - Package management
- ADF
- Gaussian
- Git
- NVIDIA HPC SDK Installation in Home Directory on a Heterogeneous Cluster
 - Prerequisites
 - Installation Steps
 - Verify Installation

- Gurobi
- Jupyter notebook and Jupyter lab
- Mathematica
- Matlab
 - Parallel with Matlab
 - Pass sbatch arguments to Matlab
 - Compile your Matlab code
 - Matlab PATH
 - Matlab java.opts
 - CHROMIUM mailbox/texture errors
 - Wavelab
- OpenCL
- Distant Paraview
- Python
 - Custom Python lib
 - Pip install from source
- R project and RStudio
 - RStudio
 - R packages
- Variant Effect Predictor (VEP)
 - Install species
- Apptainer (was Singularity)
 - Intro
 - Pull an existing image
 - Convert a Docker image
 - Run a container
 - Modify the image (not persistent)
 - Modify the image (persistent)
 - References
- Stata
- TensorFlow

Compile and install a software in your /home

Glossary

[Glossary](#)

VDI - Interactive nodes

[hpc:interactivenodes#](#)

From:

<https://doc.eresearch.unige.ch/> - **eResearch Doc**

Permanent link:

<https://doc.eresearch.unige.ch/hpc/toc?rev=1592432404>

Last update: **2025/06/11 12:27**

