



Open your vm



The resize is not available when the vm is ON

Before changing hardware configuration you need to turn of the VM


You can turn off by using SSH or the web interface :



Turn off option :

- “Send the power off signal” will send a signal to the VM to do a proper shutdown


- “Power off the machine” will power off the machine similar than removing the computer power. This should be use only if the “Send the power off signal” don't work.



The status is now powering off :



Press the refresh button to refresh the status until the status is OFF :



Now you can click on Resize button to add or remove resources :

demodeb2

OFF

x1 - 2GB - t-cloud-debian10

10.40.41.18, fe80::aff:fe28:2912

huwilers10m ago - ID: 194

CPU

Net TX

Memory

Net Download Speed

Net RX

Net Upload Speed

vCenter information

GUEST STATE	running	VMWARETOOLS RUNNING STATUS	guestToolsRunning
VMWARETOOLS VERSION	10346	VMWARETOOLS VERSION STATUS	guestToolsUnmanaged

Capacity

Storage

Network

Snapshots

Actions

CPU	VCPU	Memory	Cost / CPU	Cost / MByte	
1	1	2GB	0	2.83203e-06	Resize

Update the values :

Resize VM capacity

Enforce capacity checks

Memory

4GB

CPU

1

VCPU


2

Resize

And click on Resize

Now just power on the VM by pressing the arrow button

eResearch Doc - <https://doc.erresearch.unige.ch/>



OFF

x1 - 4GB - t-cloud-debian10

10.40.41.18, fe80::aff:fe28:2912

huwilers

14m ago - ID: 194

Power on

From:
<https://doc.eresearch.unige.ch/> - **eResearch Doc**

Permanent link:
<https://doc.eresearch.unige.ch/iaas/modifyvmcpuram?rev=1620132749>

Last update: **2025/06/11 12:27**

